J2EE Programming Using Rational Application Developer (RAD) v7.0
BSP-1558
Length: 5 days
Price: $3,095.00

Course Description

This 5 day training course teaches students how to develop Servlet JSP and EJB for the WebSphere Application Server v6 platform About 50 of the time is spent on hands on labs that use the Rational Developer Studio RAD v7 development tool

After completing this course the student should be able to
Develop web based applications using Servlet and JSP
Develop business logic layer using EJB
Be productive developers in the Rational Application Developer RAD environment
Deploy application code inside WebSphere Application Server v6

Course Audience

This course is designed for Java programmers and web application designers who have interest in learning how to build or maintain enterprise applications based on the J2EE architecture using IBMs WebSphere tools

Course Outline

1 Introduction to Rational Application Developer RAD v70
Objectives
The RAD 7 Product
Eclipse Platform
Rational Web Developer
Rational Application Developer
Key Features in RAD v70
Views Perspective and Editor Areas
Basic Operations with RAD Views and Perspectives
The Java Perspective
The Debug Perspective
Navigator View

Package Explorer
Outline View
Task and Problems View
Build and Validation
Import and Export Project
Code Completion Templates and Snippets
Searching
Setup Compiler Class Path
JRE Switching
Refactoring
Changing Class Name
Changing Method Name
Changing Variable Name
Moving a Class to a Different Package
Extracting Code to a Method
Pull Up and Push Down Methods
Migrating Workspace from RAD v6
Project Interchange Feature
Migrating J2EE Applications
J2EE Migration Wizard
Summary

2 J2EE Overview
Introduction
Why Do We Need J2EE
J2EE Components
J2EE Technologies
Useful J2SE Technologies
Application Artifacts
J2EE Architecture
J2EE 14 Version Levels
J2EE Software Packaging
Deployment Descriptor
Enterprise Archive EAR
Web Modules and WAR
EJB Modules
Building Module Dependency
Objectives

Project Explorer
Servers View
The J2EE Perspective
The Web Perspective
Create an Enterprise Application
Setup Utility JAR
Create an EJB Project
Create a Web Project
Setup Dependent JAR Files
Create Server Instance and Server Configuration
Configure Server Instance
Add an Enterprise Application Project to the Test Server
Start and Stop the Server
Test a Servlet
Debug a servlet
Test a JSP
Debug a JSP
Summary

3 Servlet Basics
Objectives
History CGI
Server Extension APIs
Java Servlet
Servlet Container
Servlet Responsibilities
J2EE and Servlet
The Servlet Class
The HttpServlet Class
An Example Hello World
The Servlet Container
The Servlet API
Life Cycle Initialization
Example Initialization
Life Cycle Processing
Life Cycle Destroy
User Input
Example User Input

Output to Client
Servlet Error Handling
Threading Issues
Create a Servlet in RAD
Code Servlet Methods
The Web Deployment Descriptor
Test the Servlet
Debug Servlets in the WebSphere Test Environment

4 JavaServer Page JSP Basics
Objectives
JavaServer Pages
A Simple Example Hellojsp
JSP Benefits
Evolution of Dynamic Content Technologies
How JSP Works
JSP Invocation
JSP Scripting Elements
The XML Syntax
JSP Directive
page Directive Attributes
page Directive an Example
page Attribute errorPage
page Attribute isErrorPage
Using XML Syntax
Directives include
Include an Example
Include at compile time vs at request time
Request time inclusion
JSP Declarations
Declarations an Example
JSP Expressions
JSP Expressions an Example
JSP Scriptlets
JSP Scriptlets an Example
JSP Comments
JSP Predefined Variables
The request Object

The response Object
The out Object
Out an Example
Creating a JSP With RAD
Editing a JSP With RAD
Testing a JSP With WSAD
Debugging a JSP With RAD

5 Servlet Interaction Interface
Objectives
Request
Request Parameters
Request Attributes
Request Headers
Request Path
Other Request Information
Response
Cookies
Setting Cookies
Servlet Context
Servlet Context Attributes
Resource
Session Tracking
Tracking Techniques
Cookies
Cookies an Example
HTML Hidden Fields
Using HttpSession
Session Invalidation
An Example of Session Tracking Code
HttpSession URL Rewriting
Summary

6 Servlet Programming Advanced
Objectives
Key Issues for Web Application Development Productivity
Web Application Programming Model MVC
Model

View
Controller
What is JDBC
JDBC Architecture
JDBC Basic Steps
Loading a Driver
DB2 UDB JDBC Drivers
Oracle JDBC Drivers
Create a Connection
Connection
Statement
PreparedStatement
ResultSet
Example JDBC Servlet With Transactions
Close the Connection
Need for Connection Pooling
Connection Pooling in JDBC 20
Connection Pooling
Basic Steps in Using JDBC Connection Pooling
Access a DataSource
Get a Connection
Release Connections
Connection Pool Example
Resource References
JavaBeans
MVC Implementation
Request Dispatching
Request Dispatching Forward vs Include
HTTP Redirection
Dispatch vs redirection
Integrating Servlet and JSP
Calling a JSP from a Servlet
Request Dispatching forward Request to JSP
Supply Result information to the JSP
A Simple Example
Display JavaBean Properties in JSP

7 Using Java Beans with JSP

bjectives
What is a JavaBean
Structure of a JavaBean
Life Cycle
Properties
Very Simple Bean
Using Java Beans in JSP
The ltjspuseBeangt tag
Java Bean scope
ltjspuseBeangt in Action
The ltjspgetPropertygt tag
The ltjspsetPropertygt tag
Mapping all the request parameters
Another Example
Mixing Scriptlets and Bean tags

8 JSP Expression Language and Standard Tag Library
JSP Expression Language EL
Basic Usage
Builtin Objects
Working With Arrays and Maps
Operators
Full Example
JSP Standard Tag Library JSTL 11
JSP Standard Tag Library JSTL 10
Run Time Version JSTL 10
Basic Tags
Condition Tags
Interator Tags
Internationalization I18N
Setting Preferred Locale
Specifying Resource Bundle
Display Translated Text
Display Number
Display Date
JDBC Tags
Specify Data Source
Performing a Query

Display Result
Pagination Example

9 Enterprise JavaBean EJB Overview
Objectives
Needs for EJB
Distributed Computing
Distributed Transaction
Distributed Security
What are EJBs
Main Characteristics of EJBs
EJB Remote Method Call
EJB Architecture Components
EJB Client
EJB JAR File
EJB Server
EJB Container
EJB Container Persistence
EJB Container Transaction
Enterprise Java Beans
Session Beans
Entity Beans
EJB Classes and Interfaces
Basic Components of Entity and Session Beans
EJB Home Interface
An EJB Home Interface Example
EJBHome Object
EJB Remote Interface
Remote Interface Example
EJB Local Home Interface
EJB Local Interface
Remote EJB Objects
Local EJB Objects
EJB Implementation Class
Remote v Local EJBs
EJB Application Development
Deploying Enterprise Beans
Major Components of Deployed EJBs

Summary

10 Session Bean
Objectives
Session Beans
Stateless Session Bean
Stateful Session Bean
Components of Session Beans
Home Interfaces
Remote Interface
Local Interface
Service Endpoint Interface SEI
The Session Bean Class
ejbCreate Method
Business Methods
A Simple Stateless Session Bean Example
A Simple Stateful Session Bean Example
Registering Artifacts in ejbjarxml
Session Context
EJB Context
EJB Context
Session Bean Lifecycle
Lifecycle Stateless
Lifecycle Stateful
Concurrency Issues
Invoking Session Beans from Client Application
Looking Up a Home Object
EJB Reference
Create an EJB Object
Calling Business Methods
IBM RAD for EJB Development
Developing a Session Bean using RAD
EJB Project in RAD
Create an EJB Project
Examine the EJB Project
Create a Session Bean
Code Methods
Promote Methods to Interfaces

Deploying EJBs
EJB Deployment Descriptor
Generating Deployed Code
Run on Server
JNDI Explorer
Test the Home Interface
Test the Component Interface
EJB JAR File Structure
EJB Client JAR File Structure

11 Entity Bean
Objectives
Entity Beans
Persistence
Entity Bean Components
Container
Container
Container
Primary Key Class
A Primary Key Class Example
Remote Home Interface
Local Home Interface
Remote Interface
Local Interface
Entity Bean Class
Entity Instance
Entity Object Lifecycle
Bean Instance Lifecycle
Bean Managed Persistence
Container Managed Persistence
Writing BMP Bean
A BMP Bean Example
Writing a CMP Bean
Indicating Persistent Fields
Writing a CMP Bean
Writing a CMP Bean
Example Bean Class
Deployment Descriptor Settings

Writing finder methods
EJB Query Language
EJBQL Simple examples
EJBQL SELECT clause
EJBQL FROM clause
EJBQL WHERE clause
EJBQL Watch out
Using EJBQL in a CMP bean
Business Methods
EntityContext
Writing CMP Beans
Defining and Mapping CMP Fields
Developing Entity Beans in RAD
Adding a CMP Entity EJB
EJB Deployment Descriptor
Add an EJBQL Query
Create a Physical Data Model
Creating a Database Mapping
Choosing a Backend
Choosing a Mapping Type
Specifying the Mapping
EJB 20 Relationships
WebSphere Extensions

12 J2EE Application Deployment
Objectives
Overview
Generate Deployed Code
Export EAR
Separate Client Side Code
Export EJB Client JAR
Export Utility JAR
J2EE Deployment
Administrative Console
Environment Variables
Security
Resources
Creating JDBC Provider

Creating Data Source
WebSphere MQ JMS Configuration
WebSphere MQ JMS Provider
Connection Factory
Destination
Listener Port
Relationship Between Messaging Components
Installing Applications
Server Options
Starting an Application
Summary

13 Business and Integration Tier Patterns
Objectives
Business Delegate Pattern
How it works
Data Transfer Object Pattern
DTO Example Output
DTO Example Input
Role of DTO in MVC
Access Beans
Types of Access Beans
Data Class Access Bean
Data Class Programming Model
Access Bean Constructor
Generating Access Beans
Generating a Data Class
Generating an EJB Factory
Using EJB Factory and Data Class
Deleting the Access Bean
Value Object Pattern
Multiple Value Objects
Best Practice derive EJB from the Value Object
Composite Entity Pattern
An example
Class Diagram
How the client interacts
Value Object Assembler

Value List Handler
How does it work
How does it work continued
Design Considerations
Service Locator
Data Access Object DAO
DAO Implementation Guidelines
Service Activator
MDB Integrating JMS and EJB
MessageDriven Beans Are Different From Other EJBs
MessageDriven Beans are Stateless
MessageDriven Bean Interfaces
Example Message Counter
Class MessageCounter
Processing the Message
Deployment Descriptor Entry
Summary

Appendix A MessageDriven Beans
Objectives
The Trouble with RMIIIOP
Messaging to the Rescue
Messaging Features
MessageOriented Middleware
Messaging Domains
PublishSubscribe
PointtoPoint
Java Message Service
JMS Programming Overview
The JMS Interfaces
JMS Programming Example
Integrating JMS and EJB
MessageDriven Beans Are Different From Other EJBs
MessageDriven Beans Cannot Talk to Their Clients
MessageDriven Beans are Stateless
Durable Subscription
MessageDriven Bean Interfaces
javaxejbMessageDrivenBean

javaxjmsMessageListener
javaxjmsMessage
Lifecycle
Example Message Counter
Class MessageCounter
Working With Messages
Processing the Message
Deployment Descriptor Entry
Binding the Queue or Topic
Transactions
Security
Load Balancing
Clustering and Topics
Clustering and Queues
A Few Tips
Poison Messages
How the Programmer Can Avoid Poison Messages
How the System Administrator Can Avoid Poison Messages
Building a Response
Potential Problems
A Simple Alternative
Type Checking and Messages
Testing MessageDriven Beans
Summary
References

Appendix B JSP Custom Tag Development
Objectives
What is Custom Tag
Why Develop Custom Tags
The Nature of a Custom Tag
Tag Body
Fragment Attribute
Dynamic Attributes
Tag Library Descriptor TLD
Tag Implementation Options
The Simple Tag API
Example Tag Class

Life Cycle of a Simple Tag
The JspContext Object
Dealing With the Body
Implementing an Iteration Tag
Accessing a Parent Tag
Working With Fragment Attributes
The TLD File
Defining a Tag
Packaging a Tag Library
Using a Tag Library
The Tag File Approach
Example Tag File
The Tag Directive
Defining Attributes
Working With Variables
Working With Fragment Attributes
Packaging Tag Files
Creating the TLD File
Using a Tag File From a JSP

Appendix C JMS Overview
Objectives
Messaging Intro
Messaging Example
Messaging Components
Messaging Types
JMS Java Messaging Service
Message Driven Beans MDB
MDB as Message Consumer
JMS Resources
JMS Messaging Configuration Questions
JMS Messaging Configuration Answers